

NEW!



POLYPROPYLENE TERMINAL BLOCK

CTBB-6A

6A 12 Way Terminal Block BLACK
Solid Wire: 4mm
Strip Length: 105mm
Pitch: 10mm

NEW!



POLYPROPYLENE TERMINAL BLOCK

CTBB-10A

10A 12 Way Terminal Block BLACK
Solid Wire: 6mm
Strip Length: 110mm
Pitch: 12mm

NEW!



POLYPROPYLENE TERMINAL BLOCK

CTBB-16A

16A 12 Way Terminal Block BLACK
Solid Wire: 10mm
Strip Length: 123mm
Pitch: 12mm

NEW!



POLYPROPYLENE TERMINAL BLOCK

CTBB-20A

20A 12 Way Terminal Block BLACK
Solid Wire: 14mm
Strip Length: 123mm
Pitch: 12mm

NEW!




POLYPROPYLENE TERMINAL BLOCK

CTBB-30A

30A 12 Way Terminal Block BLACK
Solid Wire: 16mm
Strip Length: 160mm
Pitch: 13mm




WIRE CONNECTOR

RC-102
2 Wire Connector 400V 24A YELLOW
Solid Wire: 0,75 - 2,5mm²
Strip Length: 12mm 
Pack Quantity: 10




WIRE CONNECTOR

RC-104
4 Wire Connector 400V 24A ORANGE
Solid Wire: 0,75 - 2,5mm²
Strip Length: 12mm 
Pack Quantity: 10




WIRE CONNECTOR

RC-106
6 Wire Connector 400V 24A PURPLE
Solid Wire: 0,75 - 2,5mm²
Strip Length: 12mm 
Pack Quantity: 10




WIRE CONNECTOR

RC-108
8 Wire Connector 400V 24A BLUE
Solid Wire: 0,75 - 2,5mm²
Strip Length: 12mm 
Pack Quantity: 10




WIRE CONNECTOR

RC-103D
3 Wire Connector 400V 32A ORANGE
Solid Wire: 2,5 - 6mm²
Strip Length: 12mm 
Pack Quantity: 10




WIRE CONNECTOR

RC-104D
4 Wire Connector 400V 32A ORANGE
Solid Wire: 2,5 - 6mm²
Strip Length: 12mm 
Pack Quantity: 10




WIRE CONNECTOR

RC-413
3 Wire Connector 400V 32A GREY & ORANGE
Solid Wire: 0,08 - 2,5mm²
Strip Length: 9mm 
Pack Quantity: 10

REUSABLE



WIRE CONNECTOR

RC-415
5 Wire Connector 400V 32A GREY & ORANGE
Solid Wire: 0,08 - 2,5mm²
Strip Length: 9mm 
Pack Quantity: 10

REUSABLE

**PLEASE NOTE:
THESE WILL BE SOLD IN PACKS OF 10 ONLY. NO SINGLES OR BREAKING OF
PACKS.**


WIRE CONNECTORS

NEW!



WCC-M16-2P

- Contacts: 2
- Voltage rating: 400V
- Current rating: 17.5A
- Wire gauge: $\leq 0.5\text{mm}^2 - 1.5\text{mm}^2$
- Cable OD: Max. 7mm/10mm
- Operating Rating: -40°C To $+105^\circ\text{C}$
- Gland Size: 16mm
- IP Rating: IP68




NEW!



WCC-M16-3P

- Contacts: 3
- Voltage rating: 400V
- Current rating: 17.5A
- Wire gauge: $\leq 0.5\text{mm}^2 - 1.5\text{mm}^2$
- Cable OD: Max. 7mm/10mm
- Operating Rating: -40°C To $+105^\circ\text{C}$
- Gland Size: 16mm
- IP Rating: IP68




NEW!



WCC-M20-3P

- Contacts: 3
- Voltage rating: 400V
- Current rating: 24A
- Wire gauge: $\leq 0.5\text{mm}^2 - 2.5\text{mm}^2$
- Cable OD: Max. 9mm/12mm
- Operating Rating: -40°C To $+105^\circ\text{C}$
- Gland Size: 20mm
- IP Rating: IP68



NEW!



WCC-M20T-3P

- Contacts: 3
- Voltage rating: 400V
- Current rating: 24A
- Wire gauge: $\leq 0.5\text{mm}^2 - 2.5\text{mm}^2$
- Cable OD: Max. 9mm/12mm
- Operating Rating: -40°C To $+105^\circ\text{C}$
- Gland Size: 20mm
- IP Rating: IP68




NEW!



WCC-M25-4P

- Contacts: 4
- Voltage rating: 400V
- Current rating: 40A
- Wire gauge: $\leq 1\text{mm}^2 - 6\text{mm}^2$
- Cable OD: Max. 9mm/12mm
- Operating Rating: -40°C To $+105^\circ\text{C}$
- Gland Size: 25mm
- IP Rating: IP68




NEW!



WCC-M25-5P

- Contacts: 5
- Voltage rating: 400V
- Current rating: 40A
- Wire gauge: $\leq 0.5\text{mm}^2 - 2.5\text{mm}^2$
- Cable OD: Max. 9mm/12mm
- Operating Rating: -40°C To $+105^\circ\text{C}$
- Gland Size: 25mm
- IP Rating: IP68



NEW!

2,5MM BLACK GEL JOINT KIT

GEL-BK



- Suitable for 2-3 Core cables Up To 2.5mm^2
- 250V 16 Amp Rated
- Zero Fire Risk
- Waterproof (Indoor & Outdoor)
- Re- Enterable & Permanent
- No Harmful Chemicals

NEW!

2,5MM WHITE GEL JOINT KIT

GEL-W



- Suitable for 2-3 Core cables Up To 2.5mm^2
- 250V 16 Amp Rated
- Zero Fire Risk
- Waterproof (Indoor & Outdoor)
- Re- Enterable & Permanent
- No Harmful Chemicals

NEW!

4-10MM TRANSPARENT GEL JOINT KIT

GEL-T



- Suitable for 2-4 Core cables $4\text{mm}^2 - 10\text{mm}^2$
- 250V 16 Amp Rated
- Zero Fire Risk
- Waterproof (Indoor & Outdoor)
- Re- Enterable & Permanent
- No Harmful Chemicals

- Terminal Material: Polyimide 6.6 Self extinguishing • DIN rail mounting
- Transparent cover for viewing terminations • EN60947-1 - Ipk 20kA - Ui500V

MULTI POLE DISTRIBUTION BLOCK - DIN RAIL MOUNT



FJ207
100A, 2 Pole
Terminals per pole: 1 x 25mm²; 1 x 16mm²
5 x 6mm²
Dimensions L x D x W: 94 x 50 x 44mm

MULTI POLE DISTRIBUTION BLOCK - DIN RAIL MOUNT




FJ407
125A, 4 Pole
Terminals per pole: 1 x 25mm²; 1 x 16mm²;
5 x 6mm²
Dimensions L x D x W: 109 x 50 x 85mm

MULTI POLE DISTRIBUTION BLOCK - DIN RAIL MOUNT



FJ411
125A, 4 Pole
Terminals per pole: 1 x 25mm²; 3 x 16mm²
7 x 6mm²
Dimensions L x D x W: 147 x 50 x 85mm

MULTI POLE DISTRIBUTION BLOCK - DIN RAIL MOUNT




FJ415
125A, 4 Pole
Terminals per pole: 1 x 25mm²; 3 x 16mm²
11 x 6mm²
Dimensions L x D x W: 182 x 50 x 85mm

MULTI POLE DISTRIBUTION BLOCK - DIN RAIL OR BOLT DOWN MOUNT



Part Number	Amp Rating	Ui	Input mm ²	Output mm ²	Dimensions (LxHxW)
FJ63	63A	600V~	1 x 16mm ²	2 x 16mm ² 3 x 6mm ²	69 x 46 x 30
FJ80	80A	600V~	1 x 16mm ²	2 x 16mm ² 3 x 6mm ²	69 x 46 x 30
FJ100	100A	600V~	1 x 35mm ² 1 x 16mm ²	6 x 16mm ²	77 x 46 x 29
FJ125	125A	600V~	1 x 35mm ² 1 x 16mm ²	6 x 16mm ²	77 x 46 x 29
FJ160	160A	600V~	1 x 70mm ² 1 x 16mm ²	6 x 16mm ²	69 x 46 x 30
FJ250	250A	600V~	1 x 120mm ²	4 x 10mm ² 5 x 16mm ² 2 x 35mm ²	96 x 50 x 49
FJ300	300A	600V~	1 x 120mm ²	4 x 10mm ² 5 x 16mm ² 2 x 35mm ²	96 x 50 x 49
FJ400	400A	600V~	1 x 185mm ²	4 x 10mm ² 5 x 16mm ² 2 x 35mm ²	96 x 50 x 49



UNINSULATED TERMINAL BAR


G-9604	9 x 6mm Terminal Bar	4 Way	Screw On
G-9606	9 x 6mm Terminal Bar	6 Way	Screw On
G-9608	9 x 6mm Terminal Bar	8 Way	Screw On
G-9610	9 x 6mm Terminal Bar	10 Way	Screw On
G-9612	9 x 6mm Terminal Bar	12 Way	Screw On
G-12804	12 x 8mm Terminal Bar	4 Way	Screw On
G-12806	12 x 8mm Terminal Bar	6 Way	Screw On
G-12808	12 x 8mm Terminal Bar	8 Way	Screw On
G-12810	12 x 8mm Terminal Bar	10 Way	Screw On
G-12812	12 x 8mm Terminal Bar	12 Way	Screw On



TERMINAL BAR WITH COVER


E-6-8-10K	6 x 8mm Terminal Bar + Cover	10 Way	Screw On
E-6-8-15K	6 x 8 mm Terminal Bar + Cover	15 Way	Screw On
E-8-12-5K	8 x 12mm Terminal Bar + Cover	5 Way	Screw On
E-8-12-10K	8 x 12mm Terminal Bar + Cover	10 Way	Screw On
E-8-12-15K	8 x 12mm Terminal Bar + Cover	15 Way	Screw On

UN-INSULATED PLATED BRASS TERMINAL BAR




TB-184
8 x 12mm (2 x 6mm & 21 x 4,5mm Connections)
Screw On

UN-INSULATED BRASS TERMINAL BAR




TB-230
9 x 19mm (2 x 10mm & 24 x 5mm double Connections)
Screw On

FULLY INSULATED NEUTRAL BAR - BLUE




BD8-12-4K	8 x 12mm Insulated Neutral Bar	4 Way	Screw On
BD8-12-6K	8 x 12mm Insulated Neutral Bar	6 Way	Screw On
BD8-12-8K	8 x 12mm Insulated Neutral Bar	8 Way	Screw On
BD8-12-10K	8 x 12mm Insulated Neutral Bar	10 Way	Screw On
BD8-12-12K	8 x 12mm Insulated Neutral Bar	12 Way	Screw On

FULLY INSULATED EARTH BAR + STUD - GREEN



G8-12-4K	8 x 12mm Insulated Earth Bar	4 Way	Screw On
G8-12-6K	8 x 12mm Insulated Earth Bar	6 Way	Screw On
G8-12-8K	8 x 12mm Insulated Earth Bar	8 Way	Screw On
G8-12-10K	8 x 12mm Insulated Earth Bar	10 Way	Screw On
G8-12-12K	8 x 12mm Insulated Earth Bar	12 Way	Screw On

DIN RAIL EARTH BAR - CLIP ON



KM13/E-7

KM13/E-7

7 Way Earth Bar

KM13/E-10

10 Way Earth Bar



KM13/E-10

KM13/E-12

12 Way Earth Bar

KM13/E-13

13 Way Earth Bar




KM13/E-15

KM13/E-15

15 Way Earth Bar

DIN RAIL NEUTRAL BAR - CLIP ON



KM13/N-7

KM13/N-7

7 Way Neutral Bar

KM13/N-10

10 Way Neutral Bar




KM13/N-10

KM13/N-12

12 Way Neutral Bar

KM13/N-13

13 Way Neutral Bar



KM13/N-15

KM13/N-15

15 Way Neutral Bar

DIN RAIL EARTH BAR - CLIP ON



JHS05-0812E-4

JHS05-0812E-4

4 Way Earth Bar

JHS05-0812E-6

6 Way Earth Bar




JHS05-0812E-8

JHS05-0812E-8

8 Way Earth Bar

JHS05-0812E-10

10 Way Earth Bar



JHS05-0812E-10

JHS05-0812E-12

12 Way Earth Bar

DIN RAIL NEUTRAL BAR - CLIP ON



JHS05-0812N-4

JHS05-0812N-4

4 Way Neutral Bar

JHS05-0812N-6

6 Way Neutral Bar




JHS05-0812N-8

JHS05-0812N-8

8 Way Neutral Bar

JHS05-0812N-10

10 Way Neutral Bar



JHS05-0812N-10

JHS05-0812N-12

12 Way Neutral Bar